



Country questionnaire

-	ur country hav	J			
Brain dea	ath criteria		Cardiorespiratory criteria		
☐ Yes	☐ No		☐ Yes	☐ No	
Please d donatior		w in your co	ountry in rel	ation to DBD organ	





donation.	•					
	_	_	_			
ase prov	/ide a refer	rence to ar	ny relevar	nt docume	nts and an i	nternet lin
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						





4. Does your country have any professional guidance/standards/codes of practice for the diagnosis of brain death?
☐ Yes ☐ No
Please provide a reference to any relevant documents and an internet link if possible
5. Does your country have any professional guidance/standards/codes of practice that support clinicians who are treating potential organ donors?
☐ Yes ☐ No
Please provide a reference to any relevant documents and an internet link if possible
6. Are there any national independent ethical codes of practice or guidance that support organ donation in your country?
☐ Yes ☐ No
Please provide a reference to any relevant documents and an internet link if possible





limitation of life sustaining treatment in critically ill patients?					
☐ Yes ☐ No					
Please provide a reference to any relevant documents and an internet link if possible					
8. Who is responsible for the optimisation of potential organ donors in your country?					
☐ Critical Care Dr ☐ Key Donation Person					
☐ Combination of the above ☐ Other please state					
Please provide a reference to any relevant documents and an internet link if possible					
9. At what stage does the Key Donation Person become involved in the organ donation process?					
DBD Donation					
Referral to the Key Donation Person can be made <i>before</i> the process of brain death testing has started					
Referral to the Key Donation Person is usually made <i>during</i> the process of brain death testing.					
Referral to the Key Donation Person can only be made <i>after</i> the process of brain death testing has been completed and death has been confirmed					





DCD Donation

Referral to the key donation person can be made when a patient is likely to die but before a formal decision has been made to withdraw or limit life sustaining treatment.					
Referral to the key donation person can only be made once there has been a formal decision to withdraw or limit life sustaining treatment.					
10. Does your country have national criteria to alert the Key Donation Person to a potential organ donor?					
☐ Yes ☐ No ☐ Regional or local criteria					
Please provide a reference to any relevant documents and an internet link if possible					
11. Does your country provide any guidance or best practice documents for the process of obtaining consent for organ donation from families					
for the process of obtaining consent for organ donation from families					
for the process of obtaining consent for organ donation from families					
for the process of obtaining consent for organ donation from families Yes No Please provide a reference to any relevant documents and an internet link if					
for the process of obtaining consent for organ donation from families Yes					
for the process of obtaining consent for organ donation from families Yes No Please provide a reference to any relevant documents and an internet link if possible					
for the process of obtaining consent for organ donation from families Yes No Please provide a reference to any relevant documents and an internet link if possible					





13	3. Does your country have a national organisation responsible for organ donation?		
	☐ Yes	□ No	
Na	me of Natio	onal Organisation	
14	. Are there	regional organisations responsible for organ donation?	
	☐ Yes	□ No	
15	Does you donation	ir country have a regulatory body that has oversight of organ ?	
	☐ Yes	□ No	
Na	me of regu	latory body	





16. Please provide a list of the absolute contraindications for organ donation in your country.

DBD Organ Donation	DCD Organ Donation
Please provide a reference to any possible	y relevant documents and an internet link it
-	